





All-purpose performance.

The Pierce® pumper tanker is the do all and everything vehicle. It hauls ample water for remote areas and daytime fires, and supports all the equipment needed for NFPA compliance.

- Water tank capacities up to 3,000 gallons.
- Wide array of compartmentation available to store equipment.
- Heavy duty construction.
- Full line of custom and commercial chassis availability.



PUMPER SPECS

Custom Chassis	Arrow XT™, Enforcer™, Impel®, Quantum®, Saber®, Velocity®
Commercial Chassis	Freightliner, International, Kenworth, Peterbilt
Tank Capacities	Up to 3000 gallons / lifetime warranty
Tank Dumps	8", 10", 12" (rear only) Air actuated, electric, manual Round & square
Body Lengths	Single Axle: 184" Tandem Axle: 191", 211"
Lower Compartment Load Capacity	500 lb
Body Material	Aluminum or stainless
Body Warranty	5-yr structural



Maximum storage and response.

The Pierce® PUC™ minimizes vehicular space used for fire suppression and maximizes space for equipment while still providing big pump, foam and CAFS capabilities.

- Eliminated pumphouse so you can build your apparatus around your needs.
- Enclosed pump panel keeps out grime, grit, and moisture.
- 1500 gpm pump weighs 30% less than most existing pumps.



PUC SPECS

Custom Chassis	Arrow XT™, Enforcer™, Impel®, Quantum®, Velocity®
Tank Capacities	Up to 3000 gallons / lifetime warranty
Tank Dumps	8", 10", 12" (rear only) Air actuated, electric, manual Round & square
Body Lengths	Tandem Axle: 232", 244"
Lower Compartment Load Capacity	500 lb
Body Material	Aluminum
Body Warranty	10-yr structural

DRY-SIDE & ELLIPTICAL TANKERS



DRY-SIDE & ELLIPTICAL SPECS

Custom Chassis	Arrow XT™, Enforcer™, Impel®, Quantum®, Saber®, Velocity®
Commercial Chassis	Freightliner, International, Kenworth, Peterbilt
Tank Capacities	Up to 4000 gallons / lifetime warranty
Tank Dumps	8", 10", 12" (rear only) Air actuated, electric, manual Round & square
Body Lengths	Single Axle: 148" Tandem Axle: 182", 216", 240"
Lower Compartment Load Capacity	500 lb
Body Material	Aluminum or stainless
Body Warranty	10-yr structural

Haul it all.

The Pierce® dry-side tanker can haul 1,800 to 4,000 gallons of water while stowing equipment on both sides and comfortably accommodating hose lines.

- Integrated suction hose storage in body compartment.
- Corrosion-resistant poly tank with baffling to help provide a smoother ride.
- Multiple rear axle locations for optimal weight distribution.





Feature-packed for maximum flexibility.

With choice of over 120 options, the Pierce® pre-engineered FX tanker affords efficiencies for the department and freedoms for the user.

- Freightliner M2-106 6x4, Single Axle, 500 or 1,000 GPM w/PTO.
- Freightliner M2-106 4x2, Tandem Axle, 500 or 1,000 GPM w/PTO.
- Freightliner 114SD 6x4, Tandem Axle, 500 or 1,000 GPM Midship Pump.



FX SPECS

Commercial Chassis	Freightliner M2-106 6x4 Freightliner M2-106 4x2 Freightliner 114SD 6x4
Overall Height	9' 5"
Tank Capacities	Single Axle: 2100 gallons Tandem Axle: 3000 gallons Lifetime warranty
Tank Dumps	8", 10", 12" (rear only) Air actuated, manual, S/S
Body Lengths	Single Axle: 148" Tandem Axle: 182", 216"
Lower Compartment Load Capacity	500 lb
Body Material	Aluminum
Body Warranty	5-yr structural



High side compartmentation.
Shown on an FX.



Swing down folding tank storage.
Shown on a pumper tanker.



Drop down ladder rack storage.
Shown on a pumper tanker.



Integral suction hose storage.
Shown on a dry-side.



Side dump.
Shown on a pumper tanker.



Rear dump.
Shown on a pumper tanker.



Swivel dump valve and safe access to hosebed.
Shown on an FX.




Large compartment capacity.
Shown on a pumper tanker.

Big on storage. Big on flexibility. Big on performance.

When your department requires an all-purpose vehicle to perform the dual roles of water transport and on-the-spot firefighting, Pierce brings you a variety of options. Each tanker is designed to accommodate the fire department's water, foam, and equipment storage needs.

Virtually limitless plumbing options.

If it's available on a pumper, it's also available for a tanker. Whether it's side control, a top mount pumphouse or a Husky™ foam system, we offer a huge variety of pumphouse configurations and arrangements to meet the ever-changing needs of every department.



www.piercemfg.com



Pierce Manufacturing Inc., An Oshkosh Corporation Company
P.O. Box 2017, Appleton WI 54912-2017 USA

Specifications, descriptions, and illustrative material in this literature are as accurate as known at the time of publication, but are subject to change without notice. Illustrations may include optional equipment and accessories and may not include all standard equipment. All measurements are nominal values.
© Pierce Manufacturing Inc., Pierce and the Pierce logo are registered trademarks of Pierce Manufacturing Inc., Appleton, WI. Printed in U.S.A.

All other trademarks are the property of their respective owners.