



**Pierce Velocity 100' Ascendant Mid-Mount Tower**  
Borough of Elmwood Park  
Job #34334

**FEATURES & SPECIFICATIONS**


- Pierce Velocity 70" Chassis with a 10" Raised Roof
- Detroit Diesel DD13 525hp 2016 EPA compliant Engine
- Allison EVS4500P Automatic Transmission
- TAK-4 Independent Front Suspension
- Waterous S100 2000 GPM single Stage Pump
- 300 Gallon Poly Water Tank
- Harrison MID 6kw Hydraulic Generator
- Delivered in November 2020



**FIRE & SAFETY SERVICES, LTD.**

South Plainfield, NJ

web: [www.f-ss.com](http://www.f-ss.com) · phone: 800-400-8017



JOB NO. 34334		DATE	
SCALE 1:1.24		DRAWN BY	
DESIGNED BY		CHECKED BY	
TITLE 100' ASCENDANT AERIAL PLATFORM AND BODY ASSEMBLY		FOR ELWOOD PARK, NJ	
CHASSIS DATA		VEHICLE MODEL	
100' ASCENDANT AERIAL PLATFORM		PIERCE	
300 GALLON WATER TANK		DTS	
BOROUGH OF ELWOOD PARK, NJ		DTS	
SHEET NO. 34334AD		DTS	
DWG. NO. 34334AD		DTS	
SHEET SIZE		DTS	
D		D	
1 OF 1		1 OF 1	



FRONTAL IMPACT PROTECTION

ALUMINUM BODY

1. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212. APPROXIMATE CENTER OF GRAVITY SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
2. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
3. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
4. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
5. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
6. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
7. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
8. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
9. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
10. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
11. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
12. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
13. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
14. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
15. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
16. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
17. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
18. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
19. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
20. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
21. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.
22. FRONT BUMPER SHALL BE LOCATED IN COMPLIANCE WITH SAE J853 OR FMVSS 212.